Traffic Engineering + Control: **EDITORIAL INDEX TO VOLUME 36, January 1995 to December 1995**
Cross-referenced by the month of publication and the number of commencing page to the authors listed opposite

(1) Advanced Stop-Lines for cyclists — a simplified layout: *A. Wheeler* (5.283)
(2) Applications of data and information from U.K. Urban Traffic Control systems: *D.A. Wright* (4.200)
(3) Assignment-based techniques for modelling traffic growth in congested areas: *C. White, P. Emmerson and A. Gordon* (10.543)

(4) Bypass Demonstration Project, The: An overview: *J.M. Barrell and C.G. Robson* (7/8.398)

(5) Calibration and validation of a neural-network driver decision model: *G. Lyons* (1.10)
(6) Car-park monitoring and information systems: their integration in Birmingham: *M. Clarke and P. Welsh* (10.532)
(7) Case for 2+1 layouts, The: *J. Barrell, C. Ghee, D. Silcock and J. McAlindin* (9.494) *See also 12. 703*
(8) CLAIRE: An independent, AI-based supervisor for congestion management: *G. Scemama* (11.604)
(9) Comparisons of the performances of three responsive traffic control policies, taking drivers' day-to-day route choices into account: *M.O. Ghali and M. J. Smith* (10.94.555) *See also 1.15*
(10) Continuous Flow Intersection, The — The greatest new development in traffic engineering since the traffic signal?: *T.P. Hutchinson* (3.156)
(11) Cycle accidents at signalised roundabouts: *C.J. Lines* (2.74)

(12) Development of Urban Traffic Management and Control (UTMC) systems, The: *C. MacLennan and I.W. Routledge* (9.468)
(13) Developments in pedestrian detection: *I.A.D. Reading, C.L. Wan and K.W. Dickinson* (10.538)
(14) Disaggregate travel demand models: their applicability for British transport planning practice: *T. van Vuren, H. Gunn and A. Daly* (6.336)
(15) Distributed strategy for eliminating incident-based traffic jams from urban networks, A: *P. Roberg* (6.348)

(16) ESRC Transport Studies Unit, University of Oxford: Annual Report 1994: *P.B. Goodwin* (1.24)

(17) Framework for the evaluation of facilities for cyclists, A: *R. Sharples* (3.142 and 4.221)

(18) Generalised and Advanced Urban Debiting Innovations: The GAUDI Project
1. Overview: *S. Hayes and K. Cabrero* (1.6)
(19) 2. Dublin and Marseille multi-servicing experiments: *B. Flynn* (2.82)
(20) 3. The Trondheim Toll Ring: *S. Meland* (3.150)
(21) 4. Vehicle access control tools for demand management: *S. Hayes, O. Gascón, J. Crespo, S. Bonora and F. Gazzotti* (6.362)

(22) Improved matrix estimation under congested conditions: *B.G. Heydecker, N.Q. Verlander, J.D. Bolland and Y. Arezki* (12.667)
(23) Indices of accident clustering: a re-evaluation: *A. Nicholson* (5.291)
(24) Influence of minor junctions on link accident frequencies, The: *L. Mountain, B. Fawaz and D. Jarrett* (12.673)
(25) Integrated ATT strategies for urban arterials: DRIVE II project PRIMAVERA
1. Overview: *K. Fox, F. Montgomery and T. May* (5.268)
(26) 2. Bus priority in SCOOT and SPOT using TIRIS™: *K. Fox, F. Montgomery, S. Shepherd, C. Smith, S. Jones and F. Biora* (6.356)
(27) 3. The Dewsbury Road experiment: *K. Fox, P. Balmforth, P. Franklin, F. Montgomery, Y. L. Siu and R. Heywood* (7/8.427)
(28) 4. The Corso Grosseto experiment: *F. Biora* (11.613)
(29) Study, An: Investigation of Peak Spreading in relation to the Cross Tyne Study: *B. Ramsey and G. Hayden* (3.139)

(30) M1 Chevron Trial, The: *R. Helliar-Symons, P. Webster and A. Skinner* (10.563)
(31) Mobility Impacts, Reactions and Opinions — Traffic demand management options in Europe: The MIRO Project: *B. Bartley* (11.596)
(32) Modelling lane utilisation on British dual-carriageway roads: effects on lane-changing: *S. Yousif and J. Hunt* (12.680)
(33) Model predictions of the effects of motorway charging in West Yorkshire: *A.J. Mauchan and P. Bonsall* (4.206) *See also 7/8.418*

(34) On exposure and accident rate: *E. Hauer* (3.134)

(35) Park View Pre-signals in Uxbridge Road, Ealing: *J. Oakes and D. Metzger* (2.62)
(36) Puffin pedestrian crossing: pedestrian-behavioural study, The: *I.A.D. Reading, K.W. Dickinson and D.J. Barker* (9.472)

(37) Raised-rib road-markings: research into the safety implications: *J. Plant* (5.277)
(38) Reducing speeds in villages: the VISP study: *A. Wheeler and M. Taylor* (4.213)
(39) Riblines in Hampshire: *R. Helliar-Symons, N. Butler and P. Critchell* (7/8.421)
(40) Rôle of evaluation in ATT development, The:
1. The development process: *F. Sommerville and J. Parker* (7/8.406)
(41) 2. Concept development: *S. Tarry and F. Sommerville* (9.498)
(42) 3. System strategy development: *S. Tarry, I. Routledge and J. Parker* (11.618)
(43) 4. Evaluation of ATT systems: *S. Tarry and A. Graham* (12.688)

(44) Shopmobility: good for people and towns: *B. Morris, S.D. Lawson and P. Watters* (12.661)
(45) Simulation of driver behaviour at junctions in the Bangkok network: *S. Paksarsawan, A.D. May and F.O. Montgomery* (10.551)
(46) Solutions to urban traffic problems: towards a new realism: *M.G.H. Bell* (2.78)
(47) Some aspects of Stated Preference design: *J. Swanson and D. Pearmain* (6.345)
(48) Statistical approach to the modelling of daily car traffic, A: *M. Aldrin* (9.489)
(49) Streamlined approach for the preparation of Package Approach bids, A: *A.D. May, P.W. Bonsall, A.L. Bristow and A.S. Fowkes* (2.68)

(50) Testing integrated transport and land-use models in the Helsinki Metropolitan Area: *M. Echenique, P. Moilanen, K. Lautso and H. Lahelma* (1.20)
(51) Transportation Engineering Research Unit, Napier University: Annual Report 1994/95: *M.J. Maher* (11.627)
(52) Transportation Research Group, Department of Civil and Environmental Engineering, University of Southampton: Research Report 1995: *M. McDonald* (12.696)
(53) Transport courses run by members of the Universities Transport Study Group (5.304)

Traffic Engineering + Control: **EDITORIAL INDEX TO VOLUME 36, January 1995 to December 1995**
Cross-referenced by the month of publication and the number of commencing page to the authors listed opposite

(1) Advanced Stop-Lines for cyclists — a simplified layout: *A. Wheeler* (5.283)
(2) Applications of data and information from U.K. Urban Traffic Control systems: *D.A. Wright* (4.200)
(3) Assignment-based techniques for modelling traffic growth in congested areas: *C. White, P. Emmerson and A. Gordon* (10.543)

(4) Bypass Demonstration Project, The: An overview: *J.M. Barrell and C.G. Robson* (7/8.398)

(5) Calibration and validation of a neural-network driver decision model: *G. Lyons* (1.10)
(6) Car-park monitoring and information systems: their integration in Birmingham: *M. Clarke and P. Welsh* (10.532)
(7) Case for 2+1 layouts, The: *J. Barrell, C. Ghee, D. Silcock and J. McAlindin* (9.494) *See also 12. 703*
(8) CLAIRE: An independent, AI-based supervisor for congestion management: *G. Scemama* (11.604)
(9) Comparisons of the performances of three responsive traffic control policies, taking drivers' day-to-day route choices into account: *M.O. Ghali and M. J. Smith* (10.94.555) *See also 1.15*
(10) Continuous Flow Intersection, The — The greatest new development in traffic engineering since the traffic signal?: *T.P. Hutchinson* (3.156)
(11) Cycle accidents at signalised roundabouts: *C.J. Lines* (2.74)

(12) Development of Urban Traffic Management and Control (UTMC) systems, The: *C. MacLennan and I.W. Routledge* (9.468)
(13) Developments in pedestrian detection: *I.A.D. Reading, C.L. Wan and K.W. Dickinson* (10.538)
(14) Disaggregate travel demand models: their applicability for British transport planning practice: *T. van Vuren, H. Gunn and A. Daly* (6.336)
(15) Distributed strategy for eliminating incident-based traffic jams from urban networks, A: *P. Roberg* (6.348)

(16) ESRC Transport Studies Unit, University of Oxford: Annual Report 1994: *P.B. Goodwin* (1.24)

(17) Framework for the evaluation of facilities for cyclists, A: *R. Sharples* (3.142 and 4.221)

(18) Generalised and Advanced Urban Debiting Innovations: The GAUDI Project
1. Overview: *S. Hayes and K. Cabrero* (1.6)
(19) 2. Dublin and Marseille multi-servicing experiments: *B. Flynn* (2.82)
(20) 3. The Trondheim Toll Ring: *S. Meland* (3.150)
(21) 4. Vehicle access control tools for demand management: *S. Hayes, O. Gascón, J. Crespo, S. Bonora and F. Gazzotti* (6.362)

(22) Improved matrix estimation under congested conditions: *B.G. Heydecker, N.Q. Verlander, J.D. Bolland and Y. Arezki* (12.667)
(23) Indices of accident clustering: a re-evaluation: *A. Nicholson* (5.291)
(24) Influence of minor junctions on link accident frequencies, The: *L. Mountain, B. Fawaz and D. Jarrett* (12.673)
(25) Integrated ATT strategies for urban arterials: DRIVE II project PRIMAVERA
1. Overview: *K. Fox, F. Montgomery and T. May* (5.268)
(26) 2. Bus priority in SCOOT and SPOT using TIRIS™: *K. Fox, F. Montgomery, S. Shepherd, C. Smith, S. Jones and F. Biora* (6.356)
(27) 3. The Dewsbury Road experiment: *K. Fox, P. Balmforth, P. Franklin, F. Montgomery, Y. L. Siu and R. Heywood* (7/8.427)
(28) 4. The Corso Grosseto experiment: *F. Biora* (11.613)
(29) Study, An: Investigation of Peak Spreading in relation to the Cross Tyne Study: *B. Ramsey and G. Hayden* (3.139)

(30) M1 Chevron Trial, The: *R. Helliar-Symons, P. Webster and A. Skinner* (10.563)
(31) Mobility Impacts, Reactions and Opinions — Traffic demand management options in Europe: The MIRO Project: *B. Bartley* (11.596)
(32) Modelling lane utilisation on British dual-carriageway roads: effects on lane-changing: *S. Yousif and J. Hunt* (12.680)
(33) Model predictions of the effects of motorway charging in West Yorkshire: *A.J. Mauchan and P. Bonsall* (4.206) *See also 7/8.418*

(34) On exposure and accident rate: *E. Hauer* (3.134)

(35) Park View Pre-signals in Uxbridge Road, Ealing: *J. Oakes and D. Metzger* (2.62)
(36) Puffin pedestrian crossing: pedestrian-behavioural study, The: *I.A.D. Reading, K.W. Dickinson and D.J. Barker* (9.472)

(37) Raised-rib road-markings: research into the safety implications: *J. Plant* (5.277)
(38) Reducing speeds in villages: the VISP study: *A. Wheeler and M. Taylor* (4.213)
(39) Riblines in Hampshire: *R. Helliar-Symons, N. Butler and P. Critchell* (7/8.421)
(40) Rôle of evaluation in ATT development, The:
1. The development process: *F. Sommerville and J. Parker* (7/8.406)
(41) 2. Concept development: *S. Tarry and F. Sommerville* (9.498)
(42) 3. System strategy development: *S. Tarry, I. Routledge and J. Parker* (11.618)
(43) 4. Evaluation of ATT systems: *S. Tarry and A. Graham* (12.688)

(44) Shopmobility: good for people and towns: *B. Morris, S.D. Lawson and P. Watters* (12.661)
(45) Simulation of driver behaviour at junctions in the Bangkok network: *S. Paksarsawan, A.D. May and F.O. Montgomery* (10.551)
(46) Solutions to urban traffic problems: towards a new realism: *M.G.H. Bell* (2.78)
(47) Some aspects of Stated Preference design: *J. Swanson and D. Pearmain* (6.345)
(48) Statistical approach to the modelling of daily car traffic, A: *M. Aldrin* (9.489)
(49) Streamlined approach for the preparation of Package Approach bids, A: *A.D. May, P.W. Bonsall, A.L. Bristow and A.S. Fowkes* (2.68)

(50) Testing integrated transport and land-use models in the Helsinki Metropolitan Area: *M. Echenique, P. Moilanen, K. Lautso and H. Lahelma* (1.20)
(51) Transportation Engineering Research Unit, Napier University: Annual Report 1994/95: *M.J. Maher* (11.627)
(52) Transportation Research Group, Department of Civil and Environmental Engineering, University of Southampton: Research Report 1995: *M. McDonald* (12.696)
(53) Transport courses run by members of the Universities Transport Study Group (5.304)

(54) Transport Operations Research Group (TORG), University of Newcastle upon Tyne: Progress Report 1994/1995: *M.G.H. Bell* (4.225)
(55) Transport research at the University of Leeds: Report for 1994: *H.R. Kirby* (3.158)
(56) Travel for food shopping: the Fourth Solution: *S. Cairns* (7/8.411)

(57) Universities Transport Study Group (conference report): *J. Clark* (3.169)
(58) University of London Centre for Transport Studies: Report for 1994: *R.L. Mackett* (2.89)
(59) University of Westminster, Transport Studies Group: Annual Report 1994: *P. Jones* (5.296)
(60) URECA: Its sensitivity to model parameters and assumptions: *I.J. Wright* (9.481) *See also 12. 703*

(61) Why do parents drive their children to school? *R. Bradshaw* (1.16) *See also 6.371*

Authors:
Aldrin, M. (48)
Arezki, Y. (22)

Balmforth, P. (27)
Barker, D. J. (36)
Barrell, J. M. (4) (7)
Bartley, B. (31)
Bell, M. G. H. (46 (54)
Biora, F. (26) (28)
Bolland, J. D. (22)
Bonora, S. (21)
Bonsall, P. W. (33) (49)
Bradshaw, R. (61)
Bristow, A. L. (49)
Butler, N. (39)

Cabrero, K. (18)
Cairns, S. (56)
Clark, J. (57)
Clarke, M. (6)
Crespo, J. (21)
Critchell, P. (39)

Daly, A. (14)
Dickinson, K. W. (13) (36)
Echenique, M. (50)
Emmerson, P. (3)

Fawaz, B. (24)
Flynn, B. (19)
Fowkes, A. S. (49)
Fox, K. (25) (26) (27)
Franklin, P. (27)

Gascón, O. (21)
Gazzotti, F. (21)
Ghali, M. O. (9)
Ghee, C. (7)
Goodwin, P. B. (16)
Gordon, A. (3)
Graham, A. (43)
Gunn, H. (14)

Hauer, E. (34)
Hayden, G. (29)
Hayes, S. (18) (21)
Helliar-Symons, R. (30) (39)
Heydecker, B. G. (22)
Heywood, R. (27)
Hunt, J. (32)
Hutchinson, T. P. (10)

Jarrett, D. (24)
Jones, P. (59)
Jones, S. (26)

Kirby, H. R. (55)

Lahelma, H. (50)
Lautso, K. (50)
Lawson, S. D. (44)
Lines, C. J. (11)
Lyons, G. (5)

Mackett, R. L. (58)
MacLennan, C. (12)
Maher, M. J. (51)
Mauchan, A. J. (33)
May, A. D. (T.) (25) (45) (49)
McAlindin, J. (7)
McDonald, M. (52)
Meland, S. (20)
Metzger, D. (35)
Moilanen, P. (50)
Montgomery, F. O. (25) (26) (27) (45)
Morris, B. (44)
Mountain, L. (24)

Nicholson, A. (23)

Oakes, J. (35)

Paksarsawan, S. (45)
Parker, J. (40) (42)
Pearmain, D. (47)
Plant, J. (37)

Ramsey, B. (29)
Reading, I. A. D. (13) (36)
Roberg, P. (15)
Robson, C. G. (4)
Routledge, I. W. (12) (42)

Scemama, G. (8)
Sharples, R. (17)
Shepherd, S. (26)
Silcock, D. (7)
Siu, Y. L. (27)
Skinner, A. (30)
Smith, C. (26)
Smith, M. J. (9)
Sommerville, F. (40) (41)
Swanson, J. (47)

Tarry, S. (41) (42) (43)
Taylor, M. (38)

van Vuren, T. (14)
Verlander, N. Q. (22)

Wan, C. L. (13)
Watters, P. (44)
Webster, P. (30)
Welsh, P. (6)
Wheeler, A. (1) (38)
White, C. (3)
Wright, D. A. (2)
Wright, I. J. (60)

Yousif, S. (32)

MICROTIMA

Products for Car Park Management, Road Safety and Traffic Control

- **Programmable Sign Control and Safety Systems**

The one-year programmable **Series 4 Controller** for School Hazard Warning Signals and the **Series 4 VMS Controller** for stand-alone Variable Message Signs. Program instructions can be changed using a pocket or portable computer supplied free to most customers. Used by highway authorities throughout the UK.

The **Programmable Safety Zone** is designed to support the latest developments in child safety and traffic calming. It uses signs and warning signals in new ways to change a driver's perception of road conditions ahead and to heighten awareness of risk at times when children are about.
Other uses include: lorry bans, variable speed limits and other time-dependent warnings or restrictions.

- **Traffic Applications for PC's and Hand-held Computers**

The Psion Organiser II based **Sig-Set Terminal** allows on-site adjustment of and communication with Traffic Signals. **Sig-Set** has the ability to load and carry control information to and from the office PC allowing files to be created and macros to be built.
The **TRAFFICANA** suite adapts the Psion for traffic data collection with PC data storage and analysis.

- **Remote Sign Control, Traffic and Car Park Monitoring**

MICROTIMA's **Digital Interface and Communications Controllers** provide the intelligent link between detection or access control equipment at car-parks or other detector sites and their associated variable message signs. The system gives car park information and guidance in town centres or at other shopping complexes. Use of more than one channel of communication allows easy expansion and local control.
Central control of several outstations is achieved using MICROTIMA's supervisory software running on a PC at HQ.

The **MICROPARKA 90** controller is designed primarily for monitoring and sign control within a car park. Units may be added at other sites and structured to give a "stand alone" or UTC connected system. Provides intelligent links between access control hardware and signs. Special features include "floor by floor" monitoring and an option for radio control of remote signs.

As a growing and innovative company we are always looking to extend our product range by helping you to solve problems.

Ouseburn Mews, 3-7 Stepney Bank, Newcastle-upon-Tyne NE1 2PW Telephone: (0191) 230 44 11 Fax: (0191) 230 44 22